Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	10/711124	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/15 19:47
L2	69	(analy$4 with waviness with surface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/15 19:48
L3	18	2 and (measur$6 with height with surface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/15 19:57
L4	5	3 and (set with data with point)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/15 19:50
L5	2	4 and (subset with data with point)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/15 19:51
L6	2	4 and subset and (data with point)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/15 19:51
L7	2	3 and subset and (data with point)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/15 19:52
L8	2	2 and subset and (data with point)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/15 19:52

L9	3	2 and (peak with value) and (valley with value) and (data with point)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/15 19:55
L10	15	("20020009221"|"5004339"|"5208766"|"5488476"|"6449048"|"6610992"|"6684844").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/15 19:57
L11	2	(measur$6 with height with surface) and (subset with data with point) and (peak with value) and (valley with value) and (data with point)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/15 20:08
L12	0	10 and (measur$6 with height with surface) and (subset with data with point) and (peak with value) and (valley with value) and (data with point)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/15 19:59
L13	0	10 and (measur$6 with height with surface) and (peak with value) and (valley with value) and (data with point)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/15 19:58
L14	0	10 and (measur$6 with height with surface) and (peak with value) and (data with point)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/15 19:59
L15	1	10 and (measur$6 with height with surface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/15 19:59
L16	0	10 and (height with surface) and (subset with data with point) and (peak with value) and (valley with value) and (data with point)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/15 20:01

L17	0	10 and (height with surface) and (subset with data with point) and peak and valley and (data with point)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/15 20:04
L18	0	10 and (height with waviness) and (subset with data with point) and peak and valley and (data with point)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/15 20:04
L19	0	10 and (height with waviness) and peak and valley and (data with point)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/15 20:05
L20	9	((calculat$3 measur$6) with height with waviness) and peak and valley and (data with point)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/15 20:07
L21	2	20 and (subset with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/15 20:06
L22	2	20 and (select$3 with subset)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/15 20:06
L23	1	((measur$6 with height with surface) and (subset with data with point) and (peak with value) and (valley with value) and (data with point)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/15 20:09
L24	1	((measur$6 with height with surface) and (subset with data with point) and (peak with value) and (valley with value) and (data with point)).clm.	US-PGPUB	OR	ON	2005/10/15 20:09

L25	1	("702"/$.ccls. "356"/$.ccls. "382"/$.ccls. "250"/$.ccls. "123"/$.ccls.) and ((measur$6 with height with surface) and (subset with data with point) and (peak with value) and (valley with value) and (data with point)).clm.	US-PGPUB	OR	ON	2005/10/15 20:14
L26	1	("702"/$.ccls. "356"/$.ccls. "382"/$.ccls. "250"/$.ccls. "123"/$.ccls.) and ((measur$6 with height with surface) and (subset with data with point) and (peak with value) and (valley with value) and (data with point)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/15 20:14
L27	1	("702"/$.ccls. "356"/$.ccls. "382"/$.ccls. "250"/$.ccls. "123"/$.ccls.) and ((measur$6 with height with surface) and (subset with data with point) and (peak with value) and (valley with value) and (data with point))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/15 20:15
L28	1	("702"/$.ccls. "356"/$.ccls. "382"/$.ccls. "250"/$.ccls. "123"/$.ccls.) and ((measur$6 with height with surface) and (subset with data with point) and (peak with value) and (valley with value) and (data with point))	US-PGPUB	OR	ON	2005/10/15 20:15
L29	1	("702"/$.ccls. "356"/$.ccls. "382"/$.ccls. "250"/$.ccls. "123"/$.ccls.) and ((waviness with profile) and (subset with data) and (peak with value) and (valley with value) and (data with point))	US-PGPUB	OR	ON	2005/10/15 20:16
L30	1	("702"/$.ccls. "356"/$.ccls. "382"/$.ccls. "250"/$.ccls. "123"/$.ccls.) and ((waviness with profile) and (subset with data) and (peak with value) and (valley with value) and (data with point))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/15 20:16
L31	1	((waviness with profile) and (subset with data) and (peak with value) and (valley with value) and (data with point)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/15 20:17
L32	1	((waviness with profile) and (subset with data) and (peak with value) and (valley with value) and (data with point)).clm.	US-PGPUB	OR	ON	2005/10/15 20:17